Epidemiol. Infect. (2003), **130**, 575–580. Printed in the United Kingdom © 2003 Cambridge University Press

Index of Authors

Abebe, A. *see* **Enquselassie, F.**
Achmann, R. *see* **Hein, I.**
Adak, G. K. *see* **Gillespie, I. A.**
Adak, G. K. *see* **Horby, P. W.**
Akhtar, S. *see* **Usman, H. R.**
Alfizah, H. *see* **Norazah, A.**
Alfredsson, G. A. *see* **Stern, N. J.**
Allardice, G. *see* **Cowden, J.**
Andersson, Y. *see* **Carrique-Mas, J. J.**
Arneborn, M. *see* **Carrique-Mas, J. J.**
Asao, T., Kumeda, Y., Kawai, T., Shibata, T., Oda, H., Haruki, K., Nakazawa, H. and Kozaki, S. An extensive outbreak of staphylococcal food poisoning due to low-fat milk in Japan: estimation of enterotoxin A in the incriminated milk and powdered skim milk, 33
Astete, M. *see* **Torres, M. A.**
Atmar, R. L. *see* **O'Donnell, F. T.**
Avellón, A. *see* **Trallero, G.**
Ayele, W. *see* **Enquselassie, F.**
Aznar, C. *see* **Carme, B.**

Baghurst, P. *see* **Heyworth, J. S.**
Bahri, O. *see* **Djebbi, A.**
Balakrish Nair, G. *see* **Khan, A.**
Ballin, A. *see* **Somekh, E.**
Bang, D. D., Nielsen, E. M., Knudsen, K. and Madsen, M. A one-year study of campylobacter carriage by individual Danish broiler chickens as the basis for selection of *Campylobacter* spp. strains for a chicken infection model, 323
Bányai, K., Gentsch, J. R., Glass, R. I. and Szűcs, G. Detection of human rotavirus serotype G6 in Hungary, 107
Baranton, G. *see* **Turk, N.**
Barkema, H. W. *see* **Zadoks, R. N.**
Begbie, K. *see* **Carter, P. E.**
Bellenger, E. *see* **Turk, N.**
Ben Ammar, A. *see* **Djebbi, A.**
Benjamin, G. *see* **Holmberg, M.**
Berndtson, E. *see* **Stern, N. J.**
Beutels, Ph. and Gay, N. J. Economic evaluation of options for measles vaccination strategy in a hypothetical Western European country, 273
Bhattacharya, S. K. *see* **Khan, A.**
Biard, M. H. *see* **Carme, B.**
Biellik, R. *see* **Cotter, B.**
Birmingham, M. *see* **Cotter, B.**
Blanco, J. E. *see* **Orden, J. A.**
Blanco, M. *see* **Orden, J. A.**
Bleasdale, S. C. *see* **Olsen, S. J.**
Bolton, F. J. *see* **Gillespie, I. A.**
Booy, R. *see* **Haralambous, E.**
Borrow, R. *see* **Sadler, F.**
Boulougouri, D. *see* **Giotakos, O.**
Bourtsoukli, P. *see* **Giotakos, O.**
Bremer, V. *see* **Cotter, B.**
Briem, H. *see* **Stern, N. J.**
Brotherton, J. M. L., Delpech, V. C., Gilbert, G. L., Hatzi, S., Paraskevopoulos, P. D. and McNulty, J. M. on behalf of the Cruise Ship Outbreak Investigation Team. A large outbreak of influenza A and B on a cruise ship causing widespread morbidity, 263
Bruno, B. F. *see* **Oliveira, S. A.**

Calaor, A. B. *see* **Ikegami, T.**
Camacho, L. A. B. *see* **Oliveira, S. A.**
Carme, B., Sobesky, M., Biard, M. H., Cotellon, P., Aznar, C. and Fontanella, J. M. Non-specific alert system for dengue epidemic outbreaks in areas of endemic malaria. A hospital-based evaluation in Cayenne (French Guiana), 93
Carriere, K. C. *see* **Jin, Y.**
Carrique-Mas, J. J., Hökeberg, I., Andersson, Y., Arneborn, M., Tham, W., Danielsson-Tham, M.-L., Osterman, B., Leffler, M., Steen, M., Eriksson, E., Hedin, G. and Giesecke, J. Febrile gastroenteritis after eating on-farm manufactured fresh cheese – an outbreak of listeriosis? 79
Carter, P. E., Begbie, K. and Thomson-Carter, F. M. Coagulase gemme variants associated with distinct populations of *Staphylococcus aureus*, 207
Cartwright, K. *see* **Sadler, F.**
Casas, I. *see* **Trallero, G.**
Castro-Silva, R. *see* **Oliveira, S. A.**
Cesar, K. *see* **Somekh, E.**
Chaicumpa, W. *see* **Khan, A.**
Chase-Topping, M. E. *see* **Synge, B. A.**
Cheikh, I. *see* **Djebbi, A.**
Chowdhury, A. *see* **Laohaprertthisan, V.**
Cid, D. *see* **Orden, J. A.**
Cobos-Marín, L., Montes-Vargas, J., Rivera-Gutierrez, S., Licea-Navarro, A., González-Merchand, J. A. and Estrada-García, I. A novel multiplex-PCR for the rapid identification of Mycobacterium bovis in clinical isolates of both veterinary and human origin, 485
Cohen, B. J. *see* **Oliveira, S. A.**
Cotellon, P. *see* **Carme, B.**
Cotter, B., Bremer, V., Stroh, G., Msambichaka, K., Mabuzane, E., Munyoro, M., Shirehwa, F., Biellik, R. and Birmingham, M. Assessment of neonatal tetanus elimination in an African setting by lot quality assurance cluster sampling (LQA–CS), 221
Cowden, J., Hamlet, N., Locking, M. and Allardice, G. A national outbreak of infection with *Salmonella enteritidis* phage types 5c and 6a associated with Chinese food businesses in Scotland, summer 2000, 387

Cowden, J. M. *see* **Cumberland, P.**
Crowcroft, N. S. *see* **Rushdy, A. A.**
Cumberland, P. *see* **Roberts, J. A.**
Cumberland, P., Sethi, D., Roderick, P. J., Wheeler, J. G., Cowden, J. M., Roberts, J. A., Rodrigues, L. C., Hudson, M. J. and Tomkins, D. S. on behalf of the IID Study Executive. The Infectious Intestinal Disease Study of England: A prospective evaluation of symptoms and health care use after an acute episode, 453
Cutts, F. T. *see* **Enquselassie, F.**

Dalal, I. *see* **Somekh, E.**
Daniels, M. J., Henderson, D., Greig, A., Stevenson, K., Sharp, J. M. and Hutchings, M. R. The potential role of wild rabbits *Oryctolagus cuniculus* in the epidemiology of paratuberculosis in domestic ruminants, 553
Daniels, M. J., Hutchings, M. R. and Greig, A. The risk of disease transmission to livestock posed by contamination of farm stored by wildlife excreta, 561
Danielsson-Tham, M.-L. *see* **Carrique-Mas, J. J.**
Das, S. C. *see* **Khan, A.**
Dawson, M. *see* **Sadler, F.**
de la Fuente, R. *see* **Orden, J. A.**
de la Loma, A. *see* **Trallero, G.**
Dellagi, K. *see* **Djebbi, A.**
Delpech, V. C. *see* **Brotherton, J. M. L.**
Dejene, A. *see* **Enquselassie, F.**
Demmler, G. J. *see* **O'Donnell, F. T.**
de Wit, M. A. S. *see* **van Pelt, W.**
Djebbi, A., Triki, H., Bahri, O., Cheikh, I., Sadraoui, A., Ben Ammar, A. and Dellagi, K. Genotypes of hepatitis C virus circulating in Tunisia, 501
Drobniewski, F., Strutt, M., Smith, G., Magee, J. and Flanagan, P. Audit of scope and culture techniques applied to samples for the diagnosis of *Mycobacterium bovis* by hospital laboratories in England and Wales, 235

Ellis, B. A. *see* **Holmberg, M.**
Endo, M. *see* **Ikebe, T.**
Engberg, J. *see* **Neimann, J.**
Enquselassie, F., Ayele, W., Dejene, A., Messele, T., Abebe, A., Cutts, F. T. and Nokes, D. J. Seroepidemiology of measles in Addis Ababa, Ethiopia: implications for control through vaccination, 507
Enquselassie, F. *see* **Gay, N. J.**
Eriksson, E. *see* **Carrique-Mas, J. J.**
Estrada-García, I. *see* **Cobos-Marín, L.**

Feierl, G. *see* **Hein, I.**
Flahault, A. *see* **Tuckwell, H. C.**
Flanagan, P. *see* **Drobniewski, F.**
Fone, D. L., Harries, J. M., Lester, N. and Nehaul, L. Meningococcal disease and social deprivation: a small area geographical study in Gwent, UK, 53
Fontanella, J. M. *see* **Carme, B.**
Foster, G. *see* **Synge, B. A.**
Fox, A. *see* **Sadler, F.**
Fujinaga, Y. *see* **Ikebe, T.**

Gay, N. J. *see* **Beutels, Ph.**
Gay, N. J. *see* **Trotter, C. L.**
Gay, N. J., Vyse, A. J., Enquselassie, F., Nigatu, W. and Nokes, D. J. Improving sensitivity of oral fluid in IgG prevalence studies: application of mixture models to a rubella antibody survey, 285
Gentsch, J. R. *see* **Bányai, K.**
Georgsson, F. *see* **Stern, N. J.**
Giesecke, J. *see* **Carrique-Mas, J. J.**
Gilbert, G. L. *see* **Brotherton, J. M. L.**
Gillespie, I. A., Adak, G. K., O'Brien, S. J. and Bolton, F. J. Milkborne general outbreaks of infectious intestinal disease, England and Wales, 1992–2000, 461
Gillespie, R. N. *see* **Zadoks, R. N.**
Gilman, R. H. *see* **Torres, M. A.**
Giotakos, O., Bourtsoukli, P., Paraskeyopoulou, T., Spandoni, P., Stasinos, S., Boulougouri, D. and Spirakou, E. Prevalence and risk factors of HIV, hepatitis B and hepatitis C in a forensic population of rapists and child molesters, 497
Glass, R. I. *see* **Bányai, K.**
Glezen, W. P. *see* **O'Donnell, F. T.**
Grabner, W. *see* **Zink, A. R.**
Graham, C. *see* **Horby, P. W.**
Gray, D. *see* **Synge, B. A.**
Greig, A. *see* **Daniels, M. J.**
González, E. A. *see* **Orden, J. A.**
González-Merchand, J. A. *see* **Cobos-Marín, L.**
Gunnarsson, E. *see* **Stern, N. J.**
Gunn, G. J. *see* **Synge, B. A.**

Hage, J. J., Schukken, Y. H., Schols, H., Maris-Veldhuis, M. A., Rijsewijk, F. A. M. and Klaassen, C. H. L. Transmission of bovine herpesvirus 1 within and between herds on an island with a BHV1 control programme, 541
Halstensen, A. *see* **Smith, I.**
Hamajima, N. *see* **Matsuo, K.**
Hamid, S. *see* **Usman, H. R.**
Hamlet, N. *see* **Cowden, J.**
Handsher, R. *see* **Somekh, E.**
Hanslik, T. *see* **Tuckwell, H. C.**
Hanukoglu, A. *see* **Somekh, E.**
Haralambous, E., Weiss, H. A., Radalowicz, A., Hibberd, M. L., Booy, R. and Levin, M. Sibling familial risk ratio of meningococcal disease in UK Caucasians, 413
Hardardottir, H. *see* **Stern, N. J.**
Harries, J. M. *see* **Fone, D. L.**
Haruki, K. *see* **Asao, T.**
Hatchette, T. F., Hayes, M., Merry, H., Schlech, W. F. and Marrie, T. J. The effect of *C. burnetii* infection on the quality of life of patients following an outbreak of Q fever, 491
Hatzi, S. *see* **Brotherton, J. M. L.**
Hawker, J. I. *see* **Horby, P. W.**
Hayward, A. C. *see* **Pritchard, A. J.**
Hayes, M. *see* **Hatchette, T. F.**
Hedin, G. *see* **Carrique-Mas, J. J.**
Hein, I., Schneck, C., Knögler, M., Feierl, G., Pless, P., Köfer, J., Achmann, R. and Wagner, M. *Campylobacter jejuni* isolated from poultry and humans in Styria, Austria: epidemiology and ciprofloxacin resistance, 377

Henderson, D. *see* **Daniels, M. J.**
Hernandez, M. *see* **Ikegami, T.**
Heyworth, J. S., Baghurst, P. and McCaul, K. A. Prevalence of gastroenteritis among 4-year-old children in South Australia, 443
Hibberd, M. L. *see* **Haralambous, E.**
Hiett, K. L. *see* **Stern, N. J.**
Hoashi, K. *see* **Ikebe, T.**
Hökeberg, I. *see* **Carrique-Mas, J. J.**
Holland, B. H. *see* **Olsen, S. J.**
Holmberg, M., Mills, J. N., McGill, S., Benjamin, G. and Ellis, B. A. Bartonella infection in sylvatic small mammals of central Sweden, 149
Hood, G. M. *see* **Kerr, P. J.**
Hopkins, G. F. *see* **Synge, B. A.**
Horby, P. W., O'Brien, S. J., Adak, G. K., Graham, C., Hawker, J. I., Hunter, P., Lane, C., Lawson, A. J., Mitchell, R. T., Reacher, M. H., Threlfall, E. J. and Ward, L. R. A national outbreak of multi-resistant *Salmonella enterica* serovar Typhimurium definitive phage type (DT) 104 associated with consumption of lettuce, 169
Houston, C. *see* **Jin, Y.**
Hudson, M. J. *see* **Cumberland, P.**
Hunter, P. *see* **Horby, P. W.**
Hutchings, M. R. *see* **Daniels, M. J.**
Hwang, L. Y. *see* **O'Donnell, F. T.**

Ikebe, T., Murai, N., Endo, M., Okuno, R., Murayama, S., Saitoh, K., Yamai, S., Suzuki, R., Isobe, J., Tanaka, D., Katsukawa, C., Tamaru, A., Katayama, A., Fujinaga, Y., Hoashi, K., Ishikawa, J., Watanabe, H. and The Working Group for Group A Streptococci in Japan. Changing prevalent T serotypes and *emm* genotypes of *Streptococcus pyogenes* isolates from streptococcal toxic shock-like syndrome (TSLS) patients in Japan, 569
Ikegami, T., Saijo, M., Niikura, M., Miranda, M. E., Calaor, A. B., Hernandez, M., Manalo, D. L., Kurane, I., Yoshikawa, Y. and Morikawa, S. Immunoglobulin G enzyme-linked immunosorbent assay using truncated nucleoproteins of Reston Ebola virus, 533
Ikehara, Y. *see* **Matsuo, K.**
Ishibashi, M. *see* **Laohaprertthisan, V.**
Ishikawa, J. *see* **Ikebe, T.**
Isobe, J. *see* **Ikebe, T.**

Jin, Y., Marrie, T. J., Carriers, K. C., Predy, G., Houston, C., Ness, K. and Johnson, D. H. Variation in management of community-acquired pneumonia requiring admission to Alberta, Canada hospitals, 41
Johnson, D. H. *see* **Jin, Y.**

Kalnauwakul, S. *see* **Laohaprertthisan, V.**
Kamel, A. G. M. *see* **Norazah, A.**
Katayama, A. *see* **Ikebe, T.**
Katsukawa, C. *see* **Ikebe, T.**
Kawai, T. *see* **Asao, T.**
Kerr, P. J., Merchant, J. C., Silvers, L., Hood, G. M. and Robinson, A. J. Monitoring the spread of myxoma virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. II. Selection of a strain of virus for release, 123
Kerr, P. J. *see* **Merchant, J. C.**
Khan, A., Nandi, R. K., Das, S. C., Ramamurthy, T., Khanam, J., Shimizu, T., Yamasaki, S., Bhattacharya, S. K., Chaicumpa, W., Takeda, Y. and Balakrish Nair, G. Environmental isolates of *Citrobacter braakii* that agglutinate with *Escherichia coli* O157 antiserum but do not possess the genes responsible for the biosynthesis of O157 somatic antigen, 179
Khanam, J. *see* **Khan, A.**
Klaassen, C. H. L. *see* **Hage, J. J.**
Knögler, M. *see* **Hein, I.**
Knudsen, K. *see* **Bang, D. D.**
Köfer, J. *see* **Hein, I.**
Koh, Y. T. *see* **Norazah, A.**
Kongmuang, U. *see* **Laohaprertthisan, V.**
Kozaki, S. *see* **Asao, T.**
Kristinsson, K. G. *see* **Stern, N. J.**
Kumeda, Y. *see* **Asao, T.**
Kurane, I. *see* **Ikegami, T.**

Landrigan, C. *see* **Olsen, S. J.**
Lane, C. *see* **Horby, P. W.**
Lammerding, A. M. *see* **Stern, N. J.**
Laohaprertthisan, V., Chowdhury, A., Kongmuang, U., Kalnauwakul, S., Ishibashi, M., Matsumoto, C. and Nishibuchi, M. Prevalence and serodiversity of the pandemic clone among the clinical strains of *Vibrio parahaemolyticus* isolated in southern Thailand, 395
Lawson, A. J. *see* **Horby, P. W.**
Leffler, M. *see* **Carrique-Mas, J. J.**
Lester, N. *see* **Fone, D. L.**
Levin, M. *see* **Haralambous, E.**
Licea-Navarro, A. *see* **Cobos-Marín, L.**
Ligtvoet, E. J. J. *see* **van Pelt, W.**
Lim, V. K. E. *see* **Norazah, A.**
Locking, M. *see* **Cowden, J.**
Lowman, R. *see* **Stern, N. J.**
Luby, S. P. *see* **Usman, H. R.**
Luby, S. *see* **Olsen, S. J.**

Mabuzane, E. *see* **Cotter, B.**
McCaul, K. A. *see* **Heyworth, J. S.**
McGill, S. *see* **Holmberg, M.**
McKendrick, I. J. *see* **Synge, B. A.**
MacNulty, J. M. on behalf of the Cruise Ship Outbreak Investigation Team. *see* **Brotherton, J. M. L.**
Madsen, M. *see* **Bang, D. D.**
Magee, J. *see* **Drobniewski, F.**
Magnano, A. R. *see* **Olsen, S. J.**
Manalo, D. L. *see* **Ikegami, T.**
Margaletic, J. *see* **Turk, N.**
Maris-Veldhuis, M. A. *see* **Hage, J. J.**
Marrie, T. J. *see* **Hatchette, T. F.**
Marrie, T. J. *see* **Jin, Y.**
Matsumoto, C. *see* **Laohaprertthisan, V.**
Matsuo, K., Hamajima, N., Ikehara, Y., Suzuki, T., Nakamura, T., Matsuura, A., Tajima, K. and Tominaga, S. Smoking and polymorphisms of fucosyltransferase gene *Le* affect success of

H. pylori eradication with lansoprazole, amoxicillin and clarithromycin, 227
Matsuura, A. *see* **Matsuo, K.**
Mawer, S. *see* **Tate, D.**
Merchant, J. C., Kerr, P. J., Simms, N. G., Hood, G. M., Pech, R. P. and Robinson, A. J. Monitoring the spread of myxoma virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. III. Release, persistence and rate of spread of an indentifiable strain of myxoma virus, 135
Merchant, J. C., Kerr, P. J., Simms, N. G. and Robinson, A. J. Monitoring the spread of myxoma virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. I. Natural occurrence of myxomatosis, 113
Merchant, J. C. *see* **Kerr, P. J.**
Merry, H. *see* **Hatchette, T. F.**
Messele, T. *see* **Enquselassie, F.**
Milas, Z. *see* **Turk, N.**
Mills, J. N. *see* **Holmberg, M.**
Mintz, E. D. *see* **Olsen, S. J.**
Miranda, M. E. *see* **Ikegami, T.**
Mitchell, R. T. *see* **Horby, P. W.**
Miyagui, J. *see* **Torres, M. A.**
Moattar, T. *see* **Usman, H. R.**
Molbak, K. *see* **Neimann, J.**
Monk, P. N. *see* **Pritchard, A. J.**
Montes-Vargas, J. *see* **Cobos-Marín, L.**
Mora, A. *see* **Orden, J. A.**
Morikawa, S. *see* **Ikegami, T.**
Munoz, F. M. *see* **O'Donnell, F. T.**
Munro, F. I. *see* **Synge, B. A.**
Munyoro, M. *see* **Cotter, B.**
Murai, N. *see* **Ikebe, T.**
Murayama, S. *see* **Ikebe, T.**
Msambichaka, K. *see* **Cotter, B.**
Musgrove, M. T. *see* **Stern, N. J.**

Nakamura, T. *see* **Matsuo, K.**
Nakazawa, H. *see* **Asao, T.**
Nandi, R. K. *see* **Khan, A.**
Neal, K. R. *see* **Pritchard, A. J.**
Neal, K. *see* **Sadler, F.**
Nehaul, L. *see* **Fone, D. L.**
Neimann, J., Engberg, J., Molbak, K. and Wegener, H. C. A case-control study of risk factors for sporadic campylobacter infections in Denmark, 353
Nerlich, A. G. *see* **Zink, A. R.**
Ness, K. *see* **Jin, Y.**
Newton, A. *see* **Tate, D.**
Nichols, G. L. *see* **Said, B.**
Nielsen, E. M. *see* **Bang, D. D.**
Nigatu, W. *see* **Gay, N. J.**
Niikura, M. *see* **Ikegami, T.**
Nishibuchi, M. *see* **Laohaprertthisan, V.**
Nokes, D. J. *see* **Enquselassie, F.**
Nokes, D. J. *see* **Gay, N. J.**
Norazah, A., Lim, V. K. E., Rohani, M. Y., Alfizah, H., Koh, Y. T. and Kamel, A. G. M. A major methicillin-resistant *Staphylococcus aureus* clone predominates in Malaysian hospitals, 407

O'Brien, S. J. *see* **Gillespie, I. A.**
O'Brien, S. J. *see* **Horby, P. W.**
Oda, H. *see* **Asao, T.**
O'Donnell, F. T., Munoz, F. M., Atmar, R. L., Hwang, L. Y., Demmler, G. J. and Glezen, W. P. Epidemiology and molecular characterization of co-circulating influenza A/H3N2 virus variants in children: Houston, Texas, 1997–8, 521
Okuno, R. *see* **Ikebe, T.**
Oliveira, A. A., Siqueira, M. M., Camacho, L. A. B., Castro-Silva, R., Bruno, B. F. and Cohen, B. J. Use of RT–PCR on oral fluid samples to assist the identification of measles cases during an outbreak, 101
Oliver, S. P. *see* **Zadoks, R. N.**
Olsen, S. J., Bleasdale, S. C., Magnano, A. R., Landrigan, C., Holland, B. H., Tauxe, R. V., Mintz, E. D. and Luby, S. Outbreaks of typhoid fever in the United States, 1960–99, 13
Orden, J. A., Ruiz-Santa-Quiteria, J. A., Blanco, M., Blanco, J. E., Mora, A., Cid, D., González, E. A., Blanco, J. and de la Fuente, R. Prevalence and characterization of Vero cytotoxin-producing *Escherichia coli* isolated from diarrhoeic and healthy sheep and goats, 313
Osterman, B. *see* **Carrique-Mas, J. J.**

Paoli, G. M. *see* **Stern, N. J.**
Paraskevopoulos, P. D. *see* **Brotherton, J. M. L.**
Paraskevopoulou, T. *see* **Giotakos, O.**
Parsonnet, J. *see* **Torres, M. A.**
Passaro, D. J. *see* **Torres, M. A.**
Pech, R. P. *see* **Merchant, J. C.**
Pérez, C. *see* **Trallero, G.**
Pless, P. *see* **Hein, I.**
Postic, A. *see* **Turk, N.**
Predy, G. *see* **Jin, Y.**
Pritchard, A. J., Hayward, A. C., Monk, P. N. and Neal, K. R. Risk factors for drug resistant tuberculosis in Leicestershire – poor adherence to treatment remains an important cause of resistance, 481

Radalowicz, A. *see* **Haralambous, E.**
Rahbar, M. H. *see* **Usman, H. R.**
Ramamurthy, T. *see* **Khan, A.**
Ramsay, M. E. *see* **Rushdy, A. A.**
Reacher, M. H. *see* **Horby, P. W.**
Reacher, M. *see* **Said, B.**
Reiersen, J. *see* **Stern, N. J.**
Reischl, U. *see* **Zink, A. R.**
Rijsewijk, F. A. M. *see* **Hage, J. J.**
Riquelme-Sertour, N. *see* **Turk, N.**
Rivera-Gutierrez, S. *see* **Cobos-Marín, L.**
Roberts, J. A., Cumberland, P., Sockett, P. N., Wheeler, J., Rodrigues, L. C., Sethi, D. and Roderick, P. J. on behalf of the IID Study Executive, 1
Roberts, J. A. *see* **Cumberland, P.**
Robinson, A. J. *see* **Kerr, P. J.**
Robinson, A. J. *see* **Merchant, J. C.**
Roderick, P. J. *see* **Cumberland, P.**
Roderick, P. J. *see* **Roberts, J. A.**

Rodriquez, C. *see* **Torres, M. A.**
Rodrigues, L. C. *see* **Cumberland, P.**
Rodrigues, L. C. *see* **Roberts, J. A.**
Rohani, M. Y. *see* **Norazah, A.**
Ruiz-Santa-Quiteria, J. A. *see* **Orden, J. A.**
Rusbridge, S. M. *see* **Synge, B. A.**
Rushdy, A. A., White, J. M., Ramsay, M. E. and Crowcroft, N. S. Tetanus in England and Wales, 1984–2000, 71
Rutter, M. *see* **Said, B.**

Sadler, F., Fox, A., Neal, K., Dawson, M., Cartwright, K. and Borrow, R. Genetic analysis of capsular status of meningococcal carrier isolates, 59
Sadraoui, A. *see* **Djebbi, A.**
Said, B., Wright, F., Nichols, G. L., Reacher, M. and Rutter, M. Outbreaks of infectious disease associated with private drinking water supplies in England and Wales, 1970–2000, 469
Saijo, M. *see* **Ikegami, T.**
Saitoh, K. *see* **Ikebe, T.**
Sampimon, O. C. *see* **Zadoks, R. N.**
Schlech, W. F. *see* **Hatchette, T. F.**
Schneck, C. *see* **Hein, I.**
Schols, H. *see* **Hage, J. J.**
Schukken, Y. H. *see* **Hage, J. J.**
Schukken, Y. H. *see* **Zadoks, R. N.**
Sethi, D. *see* **Cumberland, P.**
Sethi, D. *see* **Roberts, J. A.**
Sharp, J. M. *see* **Daniels, M. J.**
Shibata, T. *see* **Asao, T.**
Shimizu, T. *see* **Khan, A.**
Shirehwa, F. *see* **Cotter, B.**
Shohat, T. *see* **Somekh, E.**
Silvers, L. *see* **Kerr, P. J.**
Simms, N. G. *see* **Merchant, J. C.**
Siqueira, M. M. *see* **Oliveira, S. A.**
Slavica, A. *see* **Turk, N.**
Smith, G. *see* **Drobniewski, F.**
Smith, I., Vedeler, C. and Halstensen, A. FcγRIIa and FcγRIIIb polymorphisms were not associated with meningococcal disease in Western Norway, 193
Small, P. *see* **Torres, M. A.**
Sobesky, M. *see* **Carme, B.**
Sockett, P. N. *see* **Roberts, J. A.**
Somekh, E., Cesar, K., Handsher, R., Hanukoglu, A., Dalal, I., Ballin, A. and Shohat, T. An outbreak of echovirus 13 meningitis in central Israel, 257
Spandoni, P. *see* **Giotakos, O.**
Spirakou, E. *see* **Giotakos, O.**
Staresina, V. *see* **Turk, N.**
Stasinos, S. *see* **Giotakos, O.**
Steen, M. *see* **Carrique-Mas, J. J.**
Stern, N. J., Hiett, K. L., Alfredsson, G. A., Kristinsson, K. G., Reiersen, J., Hardardottir, H., Briem, K., Gunnarsson, E., Georgsson, F., Lowman, R., Berndtson, E., Lammerding, A. M., Paolf, G. M. and Musgrove, M. T. *Campylobacter* spp. in Icelandic poultry operations and human disease, 23
Stevenson, K. *see* **Daniels, M. J.**
Stroh, G. *see* **Cotter, B.**
Strutt, M. *see* **Drobniewski, F.**
Suzuki, R. *see* **Ikebe, T.**
Suzuki, T. *see* **Matsuo, K.**
Synge, B. A., Chase-Topping, M. E., Hopkins, G. F., McKendrick, I. J., Thomson-Carter, F., Gray, D., Rusbridge, S. M., Munro, F. I., Foster, G. and Gunn, G. J. Factors influencing the shedding of verocytotoxin-producing *Escherichia coli* O157 by beef suckler cows, 301
Szücs, G. *see* **Bányai, K.**

Tajima, K. *see* **Matsuo, K.**
Takeda, Y. *see* **Khan, A.**
Tamaru, A. *see* **Ikebe, T.**
Tanaka, D. *see* **Ikebe, T.**
Tate, D., Mawer, S. and Newton, A. Outbreak of *Pseudomonas aeruginosa* folliculitis associated with a swimming pool inflatable, 187
Tauxe, R. V. *see* **Olsen, S. J.**
Tenorio, A. *see* **Trallero, G.**
Tham, W. *see* **Carrique-Mas, J. J.**
The *Campylobacter* Sentinel Surveillance Scheme Collaborators. Point source outbreaks of *Campylobacter jejuni* infection – are they more common than we think and what might cause them? 367
The Working Group for Group A Streptococci in Japan. *see* **Ikebe, T.**
Thomson-Carter, F. M. *see* **Carter, P. E.**
Thompson-Carter, F. *see* **Synge, B. A.**
Threlfall, E. J. *see* **Horby, P. W.**
Tominaga, S. *see* **Matsuo, K.**
Tompkins, D. S. on behalf of the IID Study Executive. *see* **Cumberland, P.**
Torres, M. A., Passaro, D. J., Watanabe, J., Parsonnet, J., Small, P., Miyagui, J., Rodriquez, C., Astete, M. and Gilman, R. H. No association between *Helicobacter pylori* and *Mycobacterium tuberculosis* infections among gastrointestinal clinic attendees in Lima, Peru, 87
Trallero, G., Casa, I., Avellón, A., Pérez, C., Tenorio, A. and de la Loma, A. First epidemic of aseptic meningitis due to echovirus type 13 among Spanish children, 251
Trotter, C. L. and Gay, N. J. Analysis of longitudinal bacterial carriage studies accounting for sensitivity of swabbing: an application to *Neisseria meningitidis*, 201
Triki, H. *see* **Djebbi, A.**
Tuckwell, H. C., Hanslik, T., Valleron, A.-J. and Flahault, A. A mathematical model for evaluating the impact of vaccination schedules: application to *Neisseria meningitidis*, 419
Turk, N., Milas, Z., Margaletic, J., Staresina, V., Slavica, A., Riquelme-Sertour, N., Bellenger, E., Baranton, G. and Postic, D. Molecular characterization of *Leptospira* spp. strains isolated from small rodents in Croatia, 159

Usman, H. R., Akhtar, S., Rahbar, M. H., Hamid, S., Moattar, T. and Luby, S. P. Injections in health care settings: a risk factor for acute hepatitis B virus infection in Karachi, Pakistan, 293

Valleron, A.-J. *see* **Tuckwell, H. C.**
van Duynhoven, Y. T. H. P. *see* **van Pelt, W.**
van Pelt, W., de Wit, M. A. S., Wannet, W. J. B., Ligtvoet, E. J. J., Widdowson, M. A. and van Duynhoven, Y. T. H. P. Laboratory surveillance of bacterial gastroenteric pathogens in The Netherlands, 1991–2001, 431

Vedeler, C. *see* **Smith, I.**
Vyse, A. J. *see* **Gay, N. J.**

Wagner, M. *see* **Hein, I.**
Wannet, W. J. B. *see* **van Pelt, W.**
Ward, L. R. *see* **Horby, P. W.**
Watanabe, H. *see* **Ikebe, T.**
Watanabe, J. *see* **Torres, M. A.**
Wegener, H. C. *see* **Neimann, J.**
Weiss, H. A. *see* **Haralambous, E.**
Wheeler, J. G. *see* **Cumberland, P.**
Wheeler, J. *see* **Roberts, J. A.**
White, J. M. *see* **Rushdy, A. A.**
Widdowson, M. A. *see* **van Pelt, W.**
Wolf, H. *see* **Zink, A. R.**
Wright, F. *see* **Said, B.**

Yamai, S. *see* **Ikebe, T.**
Yamasaki, S. *see* **Khan, A.**
Yoshikawa, Y. *see* **Ikegami, T.**

Zadoks, R. N., Gillespie, B. E., Barkema, H. W., Sampimon, O. C., Oliver, S. P. and Schkken, Y. H. Clinical, epidemiological and molecular characteristics of *Streptococcus uberis* infections in dairy herds, 335
Zink, A. R., Grabner, W., Reischl, U., Wolf, H. and Nerlich, A. G. Molecular study on human tuberculosis in three geographically distinct and time delineated populations from ancient Egypt, 239

Epidemiol. Infect. (2003), **130**, 581–582. Printed in the United Kingdom © 2003 Cambridge University Press

Index of Subjects

Bartonella infection in sylvatic small mammals of Central Sweden, 149
Bovine herpesvirus 1, transmission of, within and between herds on an island with a BHV1 control programme, 541

Campylobacter, a case-control study of risk factors for sporadic, infections in Denmark, 353
Campylobacter jejuni isolated from poultry and humans in Styria, Austria: epidemiology and ciprofloxacin resistance, 377
Campylobacter jejuni, point source outbreaks of, infection – are they more common than we think and what might cause them? 367
Campylobacter spp., a one-year study of campylobacter carriage by individual Danish broiler chickens as the basis for selection of, strains for a chicken infection model, 323
Campylobacter spp. in Icelandic poultry operations and human disease, 23
C. burnetii, the effect of, infection on the quality of life of patients following an outbreak of Q fever, 491
Citrobacter braakii, environmental isolates of, that agglutinate with *Escherichia coli* O157 antiserum but do not possess the genes responsible for the biosynthesis of O157 somatic antigen, 179

Dengue, non-specific alert system for, epidemic outbreaks in areas of endemic malaria. A hospital-based evaluation in Cayenne (French Guiana), 93

Ebola virus, immunoglobulin α enzyme-linked immunosorbent assay using truncated nucleoproteins of Reston, 533
Echovirus 13, an outbreak of, meningitis in central Israel, 257
Echovirus type 13, first epidemic of aseptic meningitis due to, among Spanish children, 251
Escherichia coli O157, environmental isolates of *Citrobacter braakii* that agglutinate with, antiserum but do not possess the genes responsible for the biosynthesis of O157 somatic antigen, 179
Escherichia coli O157, factors influencing the shedding of verocytotoxin-producing, by beef suckler cows, 301
Escherichia coli, prevalence and characterization of Vero cytotoxin-producing, isolated from diarrhoeic and healthy sheep and goats, 313

Feed, the risk of disease transmission to livestock posed by contamination of farm stored, by wildlife excreta, 561

Gastroenteric pathogens, laboratory surveillance of bacterial, in The Netherlands, 1991–2001, 431
Gastroenteritis, prevalence of, among 4-year-old children in South Australia, 443

Helicobacter pylori, no association between, and *Mycobacterium tuberculosis* infections among gastrointestinal clinic attendees in Lima, Peru, 87

Hepatitis B, prevalence and risk factors of HIV, and hepatitis C in a forensic population of rapists and child molesters, 497
Hepatitis B virus, injections in health care settings: a risk factor for acute, infection in Karachi, Pakistan, 293
Hepatitis C, genotypes of, virus circulating in Tunisia, 501
Hepatitis C, prevalence and risk factors of HIV, hepatitis B and, in a forensic population of rapists and child molesters, 497
HIV, prevalence and risk factors of, hepatitis B and hepatitis C in a forensic population of rapists and child molesters, 497
H. pylori, smoking and polymorphisms of fucosyltransferase gene *Le* affect success of, eradication with lansoprazole, amoxicillin and clarithromycin, 227

Influenza A/H3N2, epidemiology and molecular characterization of co-circulating, virus variants in children: Houston, Texas, 1997–8, 521
Influenza, a large outbreak of, A and B on a cruise ship causing widespread morbidity, 263
Intestinal disease, milkborne general outbreaks of infectious, England and Wales, 1992–2000, 461
Intestinal disease, the Infectious, Study of England: A prospective evaluation of symptoms and health care use after an acute episode, 453
Intestinal disease, the study of infectious, in England: socio-economic impact, 1

Listeriosis, febrile gastroenteritis after eating on-farm manufactured fresh cheese – an outbreak of? 79

Measles, economic evaluation of options for, vaccination strategy in a hypothetical Western European country, 273
Measles, seroepidemiology of, in Addis Ababa, Ethiopia: implications for control through vaccination, 507
Measles, use of RT–PCR on oral fluid samples to assist the identification of, cases during an outbreak, 101
Meningococcal disease and social deprivation: a small area geographical study in Gwent, UK, 53
Meningococcal disease, sibling familial risk ratio of, in UK Caucasians, 413
Meningococcal, FcγRIIa and FcγRIIIb polymorphisms were not associated with, disease in Western Norway, 193
Meningococcal, genetic analysis of capsular status of, carrier isolates, 59
Mycobacterium bovis, a novel multiplex-PCR for the rapid identification of, in clinical isolates of both veterinary and human origin, 485
Mycobacterium bovis, audit of scope and culture techniques applied to samples for the diagnosis of, by hospital laboratories in England and Wales, 235
Mycobacterium tuberculosis, no association between *Helicobacter pylori* and, infections among gastrointestinal clinic attendees in Lima, Peru, 87

Myxoma, monitoring the spread of, virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. I. Natural occurrence of myxomatosis, 113

Myxoma, monitoring the spread of, virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. II. Selection of a strain of virus for release, 123

Myxoma, monitoring the spread of, virus in rabbit *Oryctolagus cuniculus* populations on the southern tablelands of New South Wales, Australia. III. Release, persistence and rate of spread of an identifiable strain of myxoma virus, 135

Neisseria meningitidis, a mathematical model for evaluating the impact of vaccination schedules: application to, 419

Neisseria meningitidis, analysis of longitudinal bacterial carriage studies accounting for sensitivity: an application to, 201

Paratuberculosis, the potential role of wild rabbits *Oryctolagus cuniculus* in the epidemiology of, in domestic ruminants, 553

Pneumonia, variation in management of community-acquired, requiring admission to Alberta, Canada hospitals, 41

Pseudomonas aeruginosa, outbreak of, folliculitis associated with a swimming pool inflatable, 187

Rotavirus, detection of human, serotype G6 in Hungary, 107

Rubella, improving sensitivity of oral fluid testing in IgG prevalence studies: application of mixture models to a, antibody survey, 285

Salmonella enterica, a national outbreak of multi-resistant, serovar Typhimurium definitive phage type (DT) 104 associated with consumption of lettuce, 169

Salmonella enteritidis, a national outbreak of infection with, phage types 5c and 6a associated with Chinese food businesses in Scotland, summer 2000, 387

Staphylococcal, an extensive outbreak of, food poisoning due to low-fat milk in Japan: estimation of enterotoxin A in the incriminated milk and powdered skim milk, 33

Staphylococcus aureus, a major methicillin-resistant, clone predominates in Malaysian hospitals, 407

Staphylococcus aureus, coagulase gemme variants associated with distinct populations of, 207

Streptococcus uberis, clinical, epidemiological and molecular characteristics of, infections in dairy herds, 335

Tetanus, assessment of neonatal, elimination in an African setting by lot quality assurance cluster sampling (LQA–CS), 221

Tetanus in England and Wales, 1984–2000, 71

Tuberculosis, molecular study on human, in three geographically distinct and time delineated populations from ancient Egypt, 239

Tuberculosis, risk factors for drug resistant, in Leicestershire – poor adherence to treatment remains an important cause of resistance, 481

Typhoid fever, outbreaks of, in the United States, 1960–99, 13

Vibrio parahaemolyticus, prevalence and serodiversity of the pandemic clone among the clinical strains of, isolated in southern Thailand, 395

Water, outbreaks of infectious disease associated with private drinking, supplies in England and Wales, 1970–2000, 469